

- ◉ **RPSB established in 1982, is the pioneer and leader in PolyEthylene (PE) plastic rotational moulding industry in Malaysia.**
- ◉ **Almost 4 decades of experiences and know-how producing the highest quality and durability possible, which sets us apart from All others.**
- ◉ **Known for producing the Original POLYTANK® and later diversified into producing other most reliable industrial brands such as the POLAR™, FLEX-WALL™ and ETER®.**
- ◉ **Only ‘non-recycled’ 1st grade virgin raw material sourced locally from PE Malaysia (subsidiary of Petronas) is used for melt-compounding UV stabiliser, colourant, and other additives.**
- ◉ **Using reliable and advanced machines from the USA, Europe and Asia with technology transfer via Dow Chemicals, Dupont of Canada, Mitsubishi of Japan and other MNEs.**
- ◉ **As a result, RPSB is able to provide the longest warranty in the market; ‘Limited Product Warranty’ up to 20 years (black colour) against sunlight UV penetration and degradation that causes discolouring, brittleness, chip, crack, break and deformation.**



THE ORIGINAL



- **The 1st PolyEthylene (PE) Plastic Tank Made In Malaysia, 1982**
- **Trusted Household Brand Name For 4 Decades – The Original ‘POLYTANK’ Registered Trade Mark**
- **Complies To FDA Food Grade, H.A.C.C.P. & British Standards BS:3412 & BS:4213**
- **Made Of In-House Melt-Compounded 1st Grade Virgin Raw Material. No Recycled Material Used!**
- **The Strongest & Longest Lasting Water Tank (Highest Tensile And Elongation Strength)**
- **One-Piece Seamless Rotational Moulded (7-8mm Thickness)**
- **Anti-Microbial & Anti-Algae Due To Zero Sunlight Penetration**
- **Withstand Heat Up To 135°C**
- **With 20 years (Black Colour) ‘Limited Product Warranty’ Against Discolouring, Brittleness, Chip, Crack, Break & Deformation Caused By Sunlight UV Penetration**
- **Life-Expectancy Of Over 30 years (Black Colour) For Outdoor And Life-Time For Indoor**

THE ORIGINAL



Applications And Uses:

- ◉ Developers / Constructions
- ◉ Farms & Plantations
- ◉ Factories
- ◉ Hospitals, Schools, Camps
- ◉ Residential Properties
- ◉ Aquaponics
- ◉ Industrial Buildings
- ◉ Hydroponics
- ◉ Commercial Buildings
- ◉ Recreation / Theme Parks



THE ORIGINAL



Compact

N20, N25, N40 (White)



N20, N25, N40, N50 (Black)



N70, N80, N100, N150 (Black)



THE ORIGINAL



Camel

N25, N40, N50, N70, N100



N100H, N150, N200, N250, N300, N400, N500



Buffalo

700L, 1000L, 1500L, 2000L, 2500L, 3000L, 4000L



THE ORIGINAL



King Kong

N25, N40, N50, N70, N100, N150



Hercules

N200, N250, N300





POLYTANK® KING KONG

KING KONG											
MODEL	CAPACITY		EXTERNAL DIMENSION C/W COVER						EX- FACTORY PRICE EFFECTIVE APR 2022 (RM)		
	NOMINAL		WIDTH		LENGTH		HEIGHT			BASE	
	IMP GAL	(LITRES)	INCHES	(MM)	INCHES	(MM)	INCHES	(MM)		INCHES	(MM)
N25	50	227	41	1,041	41	1,041	15	381	34	864	315
N40	60	273	46	1,168	46	1,168	16	406	38	965	340
N50	80	364	41	1,041	41	1,041	22	559	31	787	400
N70	100	455	45	1,143	45	1,143	25	635	37	940	465
N100	150	682	51	1,295	51	1,295	27	686	42	1,067	580
N150	200	909	58	1,473	58	1,473	28	711	49	1,245	760



POLYTANK® HERCULES

HERCULES											
MODEL	CAPACITY		EXTERNAL DIMENSION C/W COVER						EX- FACTORY PRICE EFFECTIVE APR 2022 (RM)		
	NOMINAL		WIDTH		LENGTH		HEIGHT			BASE	
	IMP GAL	(LITRES)	INCHES	(MM)	INCHES	(MM)	INCHES	(MM)		INCHES	(MM)
N200	250	1,137	58	1,473	58	1,473	36	914	47	1,194	900
N250	300	1,364	57	1,448	57	1,448	47	1,194	45	1,143	1,130
N300	400	1,818	59	1,499	59	1,499	56	1,422	46	1,168	1,300



POLYTANK® CAMEL

CAMEL										
MODEL	CAPACITY		EXTERNAL DIMENSION C/W COVER						EX- FACTORY PRICE EFFECTIVE APR 2022 (RM)	
	NOMINAL		DIA. TOP		HEIGHT		DIA. BASE			
	IMP GAL	(LITRES)	INCHES	(MM)	INCHES	MM	INCHES	MM		
N25	50	228	38	965	21	533	33	838		235
N40	60	273	41	1,041	23	572	34	851		260
N50	80	364	45	1,130	25	635	37	940		320
N70	100	455	47	1,194	28	711	39	991		405
N100	150	683	56	1,422	30	762	46	1,168		540
N100H	150	683	41	1,041	38	965	36	914		540
N150	200	910	61	1,549	32	800	50	1,270		640
N200	250	1,138	55	1,384	50	1,270	42	1,067		750
N250	300	1,365	56	1,422	53	1,346	45	1,143		895
N300	400	1,820	59	1,486	57	1,435	49	1,245		1,125
N400	500	2,275	65	1,651	62	1,562	52	1,321		1,420
N500	600	2,730	68	1,727	65	1,651	56	1,422		1,740



POLYTANK® COMPACT

COMPACT										
MODEL	CAPACITY		EXTERNAL DIMENSION C/W COVER						EX- FACTORY PRICE EFFECTIVE APR 2022 (RM)	
	NOMINAL		WIDTH		LENGTH		HEIGHT			
	IMP GAL	(LITRES)	INCHES	(MM)	INCHES	(MM)	INCHES	(MM)		
N20	30	137	21	533	30	762	16	406		235
N25	40	182	28	711	34	864	16	406		320
N40	60	273	30	762	42	1,067	16	406		410
N50	80	364	32	813	48	1,219	16	406		480
N70	100	455	44	1,118	44	1,118	16	406		540
N80	120	546	51	1,295	51	1,295	16	406		615
N100	150	683	46	1,168	60	1,524	17	432		830
N150	200	910	52	1,321	67	1,702	17	432		1,040



POLYTANK® BUFFALO

BUFFALO										
CAPACITY		EXTERNAL DIMENSION W/O COVER (With cover the height is approximately 1.5' higher)				EX- FACTORY PRICE EFFECTIVE APR 2022 (RM)				
		Diameter		Height						
LITRES	IMP GAL	INCHES	(MM)	INCHES	(MM)					
700	160	41	1,041	41	1,041	1,020				
1000	220	41	1,041	51	1,295	1,275				
1500	330	46	1,168	71	1,803	1,600				
2000	440	57	1,448	57	1,448	1,920				
2500	550	61	1,549	63	1,600	2,160				
3000	660	62	1,575	69	1,740	2,320				
4000	880	68	1,727	75	1,905	2,700				

NOTE:

1. Tank dimensions are rounded-off to the nearest inches (0.5 +/-).
2. All figures are of approximation only.
3. Our company reserve the rights to change the prices, dimensions, designs & specifications without prior notice.
4. Standardised discounts for bulk or container orders.
5. Colours available - Black; for other colours MOQ 20 units.
6. Prices are ex-factory; transportation, insurance and special packaging are not inclusive.

*20 years limited Warranty valid only if proper installation instructions provided are adhered to.

REFINED POLYMERS SDN. BHD.

TEL : + 6011 - 39 888 388 FAX : + 603 - 5192 6493

WEB: www.refinedpolymers.my EMAIL: info@refinedpolymers.my

FACEBOOK: www.facebook.com/RefinedPolymers